



## Kemical Industrial Explosion Proof High Pressure Washer

JNIKA® company was one of the Kemical industrial explosion proof high pressure washer manufacturers in China, especially in research and developed high-end commercial pressure washer and industrial cleaning equipment products. Along with decades of marketing operation, its technology and quality have a good reputation and gradually formed as the super brand effect in industry of high pressure washer. JNIKA pressure washer is with the characteristic of fashion design, good price, superior quality and good after-sales service, lead it became the one of sentinel procurement products for the customers at home and abroad.

### Product Description

You are welcomed to come to JNIKA® factory to buy the latest selling, low price, and high-quality Kemical industrial explosion proof high pressure washer. JNK-ZL-1535TF 15KW and JNK-ZL-2250TF 22KW Electric High Pressure Washer are our explosion-proof series products, its mainly apply to chemical industry cleaning, mine machinery cleaning, industrial dust removal, petrochemical engineering, mining etc. Explosion-proof products own the design pattern in China and CE certificate. Welcome to contact directly for more specifications.

### Technical Parameter

Model	Power	Voltage	Frequency	Speed	Pressure		Flow Current		Nozzle	Pump	Zize	Weight
	(KW)	(V)	(Hz)	(RPM)	Bar	PSI	L/min	GPM			(LWH)	Kg
ZL-1535TF	15	380	50	1450	370	5370	22	5.80	050	JNK-2250D	115*73*93	242
ZL-2250TF	22	380	50	1450	500	7250	22	5.80	037	JNK-2250D	115*73*93	261

### Primary Structure



### Explore-proof switch

#### Standard Accessories

	<p>JNK500Kg high pressure water gun connect M22X1.5 inner diameter 16mm</p>		<p>3C national standard electric cord 4X10M2</p>
	<p>10M high pressure water outlet Connect M22X1.5 inner diameter 14mm</p>		<p>3meters water inlet 304 double stainless steel strainer</p>
	<p>Standard equipped nozzles 304 stainless steel hoop</p>		<p>Stainless steel filter with 3 layers</p>

#### Quality Guarantee

- ① Electric Current protection range from 15A to 18A
- ② Power protection range from 7.5Kw to 8.5Kw
- ③ Voltage protection: 220V single phase 170V to 245V , 380V three phase 360V to 440V
- ④ Electric leakage protection at 30mAh
- ⑤ Open-phase protection for 380V three phase motor
- ⑥ Over heating protection for the motor at 120 degree
- ⑦ Error nozzle connect will not raise the electric current and voltage increase, motor will not broken, the pump is with the function of automatic pressure leakage.
- ⑧ New models for pump in 3000Hrs testing without the situation of oil leakage and water leakage

## Customized Service

- ① Electric Voltage is customized as requested
- ② Electric plug is customized as requested
- ③ Length of water inlet and outlet is customized as requested
- ④ Logo and Package is customized base on MOQ

## Product Certificate



## Kemical Industrial Explosion Proof High Pressure Washer Application

