



Medical Desinfection Cleaning High Pressure Machine

JNIKA® a professional household and business Medical Desinfection Cleaning High Pressure Machine manufacture in China , you can rest assured to buy electric high pressure washer, gasoline pressure washer, petrol pressure washer and diesel sewer drain machine and other relative cleaning machine from our factory and we will offer you the best after-sales service and timely delivery.

Product Description

JNIKA® is a leading China Medical Desinfection Cleaning High Pressure Machine manufacturer, supplier and exporter. Adhering to the pursuit of perfect quality of products, so that our Medical Desinfection Cleaning High Pressure Machine have been satisfied by many customers. JNK-ZL-28T2 2.5KW electric high pressure washer is handle push washer for various of cleaning ways, such as car washer, kitchen clean, grill clean, grease clean, carpet clean, garage clean, courtyard clean, the wall outside of the house, urban road wash, etc. ZL-28T2 is similar to ZL-28T function and power but there is a little different in pressure and flow current.

Technical Parameter

Model No.: JNK-ZL-28T2
Motor Power: 2.5KW
Voltage: 220V
Frequency: 50 Hz
Rotary Speed: 2800 RPM
Max Pressure: 100 bar / 1450PSI
Flow Current: 14L/min / 3.7GMP
Nozzle Size: 065 model
Pump Model: JNK-1207D
Package Size: 59*43*52cm (LxWxH)

Package weight: 52Kgs

Structure**Standard Accessories**

	JNK380Kg high pressure water gun connect M22X1.5 inner diameter 14mm		3C national standard electric cord 3X1.5M2
---	--	--	--

	<p>10M high pressure water outlet Connect M22X1.5 inner diameter 14mm</p>		<p>3meters water inlet hose 304 double stainless steel strainer</p>
	<p>Standard equipped nozzles 304 stainless steel hoop</p>		<p>Filter removal wrench</p>

Quality Guarantee

- ① Electric Current protection range from 15A to 18A
- ② Power protection range from 7.5Kw to 8.5Kw
- ③ Voltage protection: 220V single phase 170V to 245V , 380V three phase 360V to 440V
- ④ Electric leakage protection at 30mAh
- ⑤ Open-phase protection for 380V three phase motor
- ⑥ Over heating protection for the motor at 120 degree
- ⑦ Error nozzle connect will not raise the electric current and voltage increase, motor will not broken, the pump is with the function of automatic pressure leakage.
- ⑧ New models for pump in 3000Hrs testing without the situation of oil leakage and water leakage

Customized Service

- ① Electric Voltage is customized as requested
- ② Electric plug is customized as requested
- ③ Length of water inlet and outlet is customized as requested
- ④ Logo and Package is customized base on MOQ

Product Certificate



Medical Desinfection Cleaning High Pressure Machine Application

